PATENT ART UNIT 3731 10/026,295 12301/2

Listing of the Claims:

1. (Currently Amended) A polarizing molded article, which comprises a polarizing platecontaining laminated structure, the laminated structure comprising:

two protective sheet layers;

a polarizer sheet layer having two sides and being held between the two protective sheet layers such that there is a protective sheet layer on both sides of the polarizer sheet layer;

a polyurethane sheet layer or a polyamide sheet layer connected to one of the two protective sheet layers with an adhesive, wherein the polyamide sheet layer has a thickness of 0.01 to 1.5 mm and has not been orientation-treated by rubbing; and

a thermally molded resin layer thermally adhered to the polyurethane sheet layer or the polyamide sheet layer.

- 2. (Original) The polarizing molded article according to claim 1, wherein the polyurethane layer is a polyether series polyurethane sheet or a polyester series polyurethane sheet.
- 3. (Original) The polarizing molded article according to claim 1, wherein the polyamide sheet layer is a transparent type polyamide sheet.
- 4. (Previously Presented) The polarizing molded article according to claim 1, wherein a resin of the thermally molding resin layer is a resin selected from the group consisting of polyamide, thermoplastic polyurethane and polycarbonate.
- 5. (Currently Amended) The polarizing molded article according to claim 4, wherein the polyamide as the resin of the thermally molding resin layer is a transparent type polyamide.
- 6. (Previously Presented) The polarizing molded article according to claim 1, wherein at least one of the surfaces of the polarizing molded article is covered with at least one of a

DC01 571363 2

PATENT ART UNIT 3731 10/026,295 12301/2

functional coating selected from the group consisting of a hard coating, an anti-reflecting coating, an anti-fogging coating, an anti-staining coating and a mirror coating.

- 7. (Original) The polarizing molded article according to claim 1, wherein the polarizing molded article is an optical lens.
- 8. (Withdrawn) A process for preparing a polarizing molded article as defined in claim 1, which comprises a first step of preparing a polarizing plate having a structure in which a polarizer sheet layer in held between two protective sheet layers, a second step of preparing a polarizing composite in which a polyurethane sheet layer or a polyamide sheet layer of the polarizing plate with an adhesive or a pressure-sensitive adhesive, a third step of heat pressmolding the polarizing composite into a spherical shaped body, and a fourth step of thermally molding a thermally molding resin layer on the polyurethane sheet layer or the polyamdie sheet layer of the spherical shaped body.
- 9. (Withdrawn) The process for preparing a polarizing molded article according to claim 8, wherein a heat press molding machine for heat press-molding a polarizing composite into a spherical shaped body comprises a planar support having a hole having a size similar to that of the spherical shaped body in a planar direction, a clamp for securing the polarizing composite around the hole of the support, and a heatable anvil having a tip shape corresponding to a size and a curvature of the spherical shaped body, the anvil has a structure fittable in the support, and a third step of heat press-molding the polarizing composite into the spherical shaped body comprises mounting the polarizing composite on the support-securing the polarizing composite on the support with a clamp-fitting an anvil and performing heat press molding-returning the anvil and the clamp to an original position-removing the spherical shaped body as one cycle.
- 10. (Withdrawn) The process for preparing a polarizing molded article according to claim 9, wherein the polarizing composite is mounted on the support and is heat press-molded so that the polyurethane sheet layer or the polyamide sheet layer is on a convex side of the polarizing

DC01 571363 3

PATENT ART UNIT 3731 10/026,295 12301/2

shaped body, the finished spherical shaped body is reverted, whereby the spherical shaped body is arranged so that the polyurethane sheet layer or the polyamide sheet layer is on a concave side.

- 11. (Withdrawn) The process for preparing a polarizing molded article according to claim 8, wherein an insert injection molding machine comprises a front mold having a curvature similar to that of the spherical shaped body and for securing the spherical shaped body and a movable mold having an arbitrary curvature, and a fourth step of insert injection-molding the polarizing molded body comprises [arranging and securing the spherical shaped body in the front mold so that the polyurethane sheet layer or the polyamide sheet layer is inside the mold-clamping the movable mold-injection-molding the thermally molding resin layer-removing the polarizing molded article] as one cycle.
- 12. (Previously Presented) The polarizing molded article of claim 1, wherein the adhesive is a pressure-sensitive adhesive.
- 13. (Canceled)

DC01 571363 4